Docket Number: 037003-0276603 Client Reference: 1995-30-0233D2



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re the Application of ANDERSON et al.

Group Art Unit: 1644

Application No.: 09/758,173

Examiner: Phillip Gambel

Filed: January 12, 2001

Confirmation No.: 1215

For:

METHODS FOR TREATING B CELL LYMPHOMA USING CD80-SPECIFIC

ANTIBODIES

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

Commissioner for Patents P. O. Box 1450 Alexandria, VA 22313-1450

Sir:

Pursuant to 37 CFR 1.56, the attention of the Patent and Trademark Office is hereby directed to the reference(s) listed on the attached PTO-1449. Unless otherwise indicated herein, one copy of each reference is attached. It is respectfully requested that the information be expressly considered during the prosecution of this application, and that the reference(s) be made of record therein and appear among the "References Cited" on any patent to issue therefrom.

This Information Disclosure Statement is being filed with a Request for Continued Examination. No certification or fee is required.

Respectfully Submitted,

Thomas A. Cawley, Jr., Ph.D, Registration Number 40,944

2.4 Cent 1

Date: May 6, 2004

PILLSBURY WINTHROP LLP Telephone: (703) 905-2000 Facsimile: (703) 905-2500

P.O. Box 10500 McLean, VA 22102

TAC/CR:ntb

To: (PW FORM	U.S. I PAT	l9 (ṁodified) Department of Cor Γ-1449) nt and Trademark (MA	OIF	W SCATE		Atty Dkt. No.	M#	‡		Clie	ent R	ef.	
			ļ	PATER	, , ,	2004			-			<u> </u>			
						182				7003-0276603		199	9 <u>5-</u> 30	-0233D2	
INFORMAT	ION	DISCLOSURE ST.	ATEM	ENT	RADE	MARK		Applicant:	:	ANDERSON	et al.				
BY APPLIC	ANI							Apple No		00/750 472					
								Appln. No		09/758,173	2004				
Data: May 6	200	04	Dogo		of [1	Filing Date		January 12,		^-		4044	_
Date: May 6			Page	<u> </u>	[0]	<u>. </u>	<u> </u>	Examiner	<u>:</u>	Gambel, P.	Group	Art	Unit:	1644	
	<u> </u>	OCUMENTS		D - 4 -		<u> </u>					I	٦ .		I	
Examiner's		Document		Date	^^^	Name	N. 1	C = : 4 -			Class	Sub		Filing Date	
Initials*	 	Number		MM/Y			Nam	ne of First Inventor)				Class		(if appropriate)	
	AR	4,816,397		03/19		Boss		 .			435	68			
	BR 4,816,567			03/19		Cabilly					530	387		ļ	
	CR	5,116,964		05/19	,	Capon					536	27		-	
	DR ER	5,885,579		03/19 12/20		Linsley Wallner						╁			
		6,162,432		12/20	100	Ivvaiinei					<u> </u>	<u> </u>		<u></u>	
FOREIGN F		NT DOCUMENTS			Ι_		1.			1	Englisl Abstra			Translation Readily	
		Document	Date MM/Y		Country		Inver	itor Name			/ Tubbliact			Available	
		Number									-	1			<u> </u>
		0.474.400.04	05/40		ED	- ·		In 1			Enclos	ea	No	Enclose	No
		0 171 496 B1	05/19	•	EP			guchi			-		-		
·· ·······		0 173 494 A2 0 239 400 B1	 		EP EP		Morrison Winter						· · · · · · · · · · · · · · · · · · ·	+	
		0 194 276 B1			EP		 						-		+-i
		0 194 276 B1 0 451 216 B1	—— —				Neuberger Queen			1			 	+-1	
			10/1991 08/1993		EP EP			Queen <u> </u>		, , , , , , , , , , , , , , , , , , ,	+				+
		0 682 040 A1	11/19		EP		Que				+				+
		2 177 096 A	03/19		GB		_	erger			+				+
		WO 92/06193	04/19				Gorn				1	-		 	+
i i		WO 93/09812	05/19				Lede				 				+
+		WO 94/28912	12/19		wo			npson			1				+
T T			03/19		wo		Noel				 				
1		WO 95/06666	03/19		wo		Noel			<u> </u>	1				+
		 	05/19		wo		Ande				 				
		ng in this order Auth	<u> </u>			al Name			t Pa	ages etc.)					†
	TR	Armitage, R.J., et a 357:80-82.									nd for C	040,	Natu	re, 1992,	1.
l	UR	Asuma, M. et al., Functional Expression of B7/BB1 on Activated T Lymphocytes, J. Exp. Med., 1992, 177:845-850.							5-						
		Ben-Nun, A. et al., The rapid isolation of clonable antigen-specific T lymphocyte lines capable of mediating autoimmune encephalomyelitis, Eur J. Immunol., 1981, 11:195-199.													
V	ΝR	Blazar, B.R. et al., graft-versus-host d 157:3250-3259.	Infusic	n of a	nti-B7	7.1 (CD8	0) and	d anti-B7.2	(C	D86) monocloi					
;	$\overline{}$	Capon, D.J., et al.,	Desia	nina C	D4 ir	nmunoa	dhesi	ns for AIDS	S th	erapy. Nature	1989. 3	37. !	525-F	531.	
		Dautigny, A., et al.,													
		proteolipid, FEBS L													
	ZR	Durie, F.H., et al., to autoimmune dise	The rolease, I	le of C Resea	D40 rch ir	and its li	gand ology,	(gp39) in p 1994, 145	erij 5(3)	pheral and cen , 200-205 & 24	tral toler 4-249.	ance	e and	l its contribut	tion
7	4AR	Durie, F.H., et al., F Science, 1993, 261	reven	ition o	f colla							liga	ind fo	or CD40,	

,	BBR	Freeman, G.J. et al., Uncovering of functional alternative CTLA-4 counter-receptor in B7-deficient mice, Science, 1993, 262:907-909.
OIPE	CCR	Freeman, G.J. et al., B7, A new member of the Ig Superfamily with unique expression on activated and neoplastic B cells, J of Immunol., 1989, 143:2714-2722.
MAY 0 6 200	DISAR 4 <u></u>	Freeman, G.J. et al., Cloning of B7-2: a CTLA-4 counter-receptor that costimulates human T cell proliferation, Science, 1993, 262:909-911.
	EEF	Gerritse, K., et al., CD40-CD40 ligand interactions in experimental allergic encephalomyelitis and multiple
& TRADEY	FFR	sclerosis, Proc. Natl. Acad. Sci. USA, 1996, 93:2499-2504. Gottlieb, A. et al., Results of a single-dose, dose-escalating trial of an anti-B7.1 monoclonal antibody (IDEC-114) in patients with psoriasis, J Invest Dermatol., 2000, 114:840, Abstract No. 546.
		Gottlieb, A. et al., Clinical and histologic response to single-dose treatment of moderate to severe psoriasis with an anti-CD80 monoclonal antibody, J Am Acad Dermatol., 2002, 47:692-700.
	HHR	Guinan, E.C. et al., Pivotal role of the B7:CD28 pathway in transplantation tolerance and tumor immunity, Blood, 1994, 84:3261-3282.
		Hafler, D.A., et al., The potential of restricted T cell recognition of myelin basis protein epitopes in the therapy of multiple sclerosis, Ann. NY Acad. Sci., 1991, 636:251-265.
		Hariharan et al., "In vitro and in vivo studies demonstrating the effectiveness of IDEC-114 and rituximab (Rituxan®) in therapy of B-cell lymphoma in experimental models; Confidential Report (laboratory notebook and data binder 2552, 2646, 2665, and 2671)," June 29, 2001.
	KKR	Hathcock, K.S. et al., Identification of an alternative CTLA-4 ligand costimulatory for T cell activation, Science, 1993, 262:905-907.
		Hollenbaugh, D., et al., The human T cell antigen gp39, a member of the TNF gene family, is a ligand for the CD40 receptor: expression of a soluble form of gp39 with B cell co-stimulatory activity, The EMBO J., 1992, 11(12):4313-4321.
	MMR	Janeway, C.A. et al., Signals and Signs for Lymphocyte Responses, 1994, 76:275-285.
	NNR	Kahan, B.D., Immunosuppressive therapy, Curr Opin Immunol., 1992, 4:553-560.
		Karpus, W.J., et al., CD4+ suppressor cells differentially affect the production of IFN-γ by effector cells of experimental autoimmune encephalomyelitis, J. Immunol., 1989, 143:3492-3497.
		Laman, J., et al., The role of gp39 (CD40 ligand) in EAE and MS, Journal of Neuroimmunology, 1994, 54(1-2):175.
	QQR	Lederman, S., et al., Identification of a novel surface protein on activated CD4+ T cells that induces contact- dependent B cell differentiation (Help), J. Exp. Med., 1992, 175:1091-1101.
		Lider, O., et al., Suppression of experimental autoimmune encephalomyelitis by oral administration of myelin basic protein, J. Immunol., 1989, 142:748-752.
	SSR	Linsley, P.S. et al., The role of the CD28 receptor during T cell responses to antigen, Annu Rev Immunol., 1993, 11:191-212.
	TTR	Linsley, P.S. et al., T-cell antigen CD28 mediates adhesion with B cells by interacting with activation antigen B7/BB-1, Proc. Natl. Acad., 1990, 87:5031-5035.
	UUR	McCafferty, J., et al., Phage antibodies: filamentous phage displaying antibody variable domains, Nature, 1990, 348:552-554.
		Miller, A., et al., Antigen-driven bystander suppression after oral administration of antigens, J. Exp. Med., 1991, 174:791-798.
	wwi	Mokhtarion, F., et al., Adoptive transfer of myelin basic protein-sensitized T cells produces chronic relapsing demyelinating disease in mice, Nature, 1984, 309:356-358.
		Morrison, S., et al., Chimeric human antibody molecules: mouse antigen-binding domains with human constant region domains, Proc. Natl. Acad, Sci. U.S.A., 1985, 81:6851-6855.
	YYR	Nickoloff, B.J. et al., T lymphocytes in skin lesions of psoriasis and mycosis fungoides express B7-1: a ligand for CD28, Blood, 1994, 83:2580-2586.
		Noelle, R.J., et al., A 39-kDa protein on activated helper T cells binds CD40 and transduces the signal for cognate activation of B cells, Proc. Natl. Acad. Sci. USA, 1992, 89:6550-6554.
		Olsson, L., et al., Human-human monoclonal antibody-producing hybridomas: technical aspects, Meth, Enzymol., 1982, 92:3-17.
	ввві	Perrin, P.J. et al., Opposing effects of CTLA4-lg and anti-CD80 (B7-1) plus anti-CD86 (B7-2) on experimental allergic encephalomyelitis, J Neuroimmunol., 1996, 65:31-39.
		Pesoa, S.A., et al., Regulation of experimental allergic encephalomyelitis. Part 5. Role of the recipient in suppressor cell induction, J. Neuroimmunol, 1984, 7:131-135.

30450938 1.DOC PAT-1449 12/98

IPE		Pettinelli, C.B., et al., Adoptive transfer of experimental allergic encephalomyelitis in SJL/J mice after <i>in vitro</i> activation of lymph node cells by myelin basic protein: requirement for Lyt 1 ⁺ 2 ⁻ T lymphocytes, J. Immunol., 1979, 127:1420-1423.
MAY 0 6 200	EĒEI	Sobel, R.A., et al., Acute experimental allergic encephalomyelitis in SJL/J mice induced by a synthetic peptide of myelin proteolipid protein, J. Neuropathol. Exp. Neurol., 1990, 49(5):468-479.
		Stamenkovic, I, et al., A B-lymphocyte activation molecule related to the nerve growth factor receptor and induced by cytokines in carcinomas, The EMBO J., 1989, 8(5),1403-1410.
TRADEN	රියෙ	induced by cytokines in carcinomas, The EMBO J., 1989, 8(5),1403-1410. Suvas, S. et al., Distinct role of CD80 and CD86 in the regulation of the activation of B cell and B cell lymphoma, J Biol Chem., 2002, 277:7766-7775.
		Takeda S., et al., Construction of chimaeric processed immunoglobulin genes containing mouse variable and human constant region sequences, Nature, 1985, 314(4):452-454.
		Teng, N. H. et al., Construction and testing of mouse-human heteromyelomas for human monoclonal antibody production, Proc. Natl. Acad. Sci. U.S.A., 1983, 80:7308—7312.
		Tuohy, V.K., et al., Identification of an encephalitogenic determinant of myelin proteolipid protein for SJL mice, J. Immunol., 1989, 142:1523-1527.
		Valle, A. et al., mAb 104, a new monoclonal antibody, recognizes the B7 antigen that is expressed on activated B cells and HTLV-1-transformed T cells, Immunology, 1990, 69:531-535.
		Van der Veen, R. C. et al., The adoptive transfer of chronic relapsing experimental allergic encephalomyelitis with lymph node cells sensitized to myelin proteolipid protein, J. Neuroimmunol., 1989, 21:183-191.
		Ward, E.S., et al., Binding activities of a repertoire of single immunoglobulin variable domains secreted from Escherichia coli, Nature, 1989, 341:544-546.
		Ward, P.A., et al., Blocking of adhesion molecules in vivo as anti-inflammatory therapy, Ther Immunol., 1994, 1:165-171.
(Yi-qun, Z. et al., Differential requirements for co-stimulatory signals from B7 family members by resting versus recently activated memory T cells towards soluble recall antigens, Int Immunol., 1996, 8:37-44.
Examiner		Date Considered:

citation if not in conformance and not considered. Include copy of this form with next communication to Applicant.